

GLOW Interferometry Tutorial: Wednesday

We will reduce the 3C129 polarization continuum dataset from the 2008 NRAO summer school. (See <http://casa.nrao.edu/Tutorial/Slworkshop2008/>) The summer school used CASA for the data reduction. You are welcome to try to use CASA for the data reduction on your own (but see also the warnings about what to do what CASA crashes frequently), but we will do the basic reduction in AIPS.

2010 Nov 16: JMA updated for 31DEC10 AIPS

Web Image of 3C129



Wide-field 90 cm image of the large head-tail radio galaxy 3C129 (right). The bright source at the left is 3C129.1. From Lane et al., AJ, 123, 2985, 2002.

The 5 GHz observations being reduced here will only look at the central, brightest, portion of this source.

Data Reduction

Remember, the purpose of this exercise is not to teach you how to reduce radio interferometry data with AIPS. Consider all of the arcane incantations below as just that, magic incantations. You should instead try to figure out what each step is actually doing to the data. The [AIPS Cookbook](#) has quite a bit of information to help guide you. Check out chapters 4 and 5. (Note that you probably have a copy of the cookbook in your local AIPS installation if you don't have full web access.) However, at some of the most important points, the cookbook is relatively useless for **understanding what is going on**, as opposed to knowing which buttons to push, so ask your tutorial leader for help in this area.

Download the data from <http://casa.nrao.edu/Data/VLA/3C129/3c129data.tgz> and untar it in some directory. (If you are in Garching, there should be a local copy. Ask Sven.) Then, from that same directory, start aips. Login with a new user ID number.

Basic Environment

```
dowait 1
dohist=1
docrt=132
dotv=1
```

Load the raw data: FILLM

```
task 'fillm'
default
nfiles 0
prtlev 0
datain 'PWD:AT166_
doconcat true
clron
doweight 10
ncount 2
cparm(4)=28
cparm(8)=10./60
go
```

Check where it went. You will need the C band version at 5 GHz

```
pcat
getn 4
imhe
```

Print out some useful information

```
task 'listr'
default
getn 4
optype 'scan'
doweight 1
go
```

```
AIPS 1: Got(1)   disk= 1  user= 101   type=UV   19940725.C BAND.2
vlb054   LISTR(31DEC08)   101   13-NOV-2008  15:25:41   Page    1
File = 19940725   .C BAND.   2 Vol = 1  Userid =   101
Freq = 4.885100000 GHz  Ncor = 4   No. vis =   216975
Scan summary listing
```

Scan	Source	Qual	Calcode	Sub	Timerange	FrqID
START VIS	END VIS					
1	2345-167	: 0003	A	1	0/07:41:45 - 0/07:43:25	1
1	2917					
2	A2597	: 0003		1	0/08:00:25 - 0/08:02:35	1
2918	6788					
3	2345-167	: 0003	A	1	0/08:21:05 - 0/08:22:45	1
6789	9709					
4	A2597	: 0003		1	0/08:39:45 - 0/08:41:55	1
9710	13605					

5	2345-167	:	0003	A	1	0/09:00:25	-	0/09:02:05	1
13606	16505								
6	A2597	:	0003		1	0/09:19:05	-	0/09:21:15	1
16506	20401								
7	2345-167	:	0003	A	1	0/09:39:45	-	0/09:41:25	1
20402	23322								
8	A2597	:	0003		1	0/09:58:25	-	0/10:00:35	1
23323	27218								
9	2345-167	:	0003	A	1	0/10:19:05	-	0/10:20:45	1
27219	30140								
10	A2597	:	0003		1	0/10:37:45	-	0/10:39:55	1
30141	34036								
11	2345-167	:	0003	A	1	0/10:58:25	-	0/11:00:05	1
34037	36957								
12	A2597	:	0003		1	0/11:17:05	-	0/11:19:15	1
36958	40832								
13	2345-167	:	0003	A	1	0/11:37:45	-	0/11:39:25	1
40833	43702								
14	0420+417	:	0003	B	1	0/11:48:25	-	0/11:50:05	1
43703	46624								
15	3C129	:	0003		1	0/12:12:55	-	0/12:23:05	1
46625	66120								
16	0420+417	:	0003	B	1	0/12:27:25	-	0/12:29:05	1
66121	69041								
17	3C129	:	0003		1	0/12:50:05	-	0/12:56:05	1
69042	80412								
18	3C129	:	0003		1	0/12:56:25	-	0/13:00:15	1
80413	88498								
19	0420+417	:	0003	B	1	0/13:04:35	-	0/13:06:15	1
88499	91419								
20	3C129	:	0003		1	0/13:29:05	-	0/13:39:15	1
91420	109415								
21	0420+417	:	0003	B	1	0/13:43:35	-	0/13:45:15	1
109416	112112								
22	3C129	:	0003		1	0/14:06:15	-	0/14:16:25	1
112113	130108								
23	0420+417	:	0003	B	1	0/14:20:45	-	0/14:22:25	1
130109	132636								
24	3C129	:	0003		1	0/14:45:15	-	0/14:55:25	1
132637	150081								
25	0420+417	:	0003	B	1	0/14:59:45	-	0/15:01:25	1
150082	152778								
26	3C129	:	0003		1	0/15:18:25	-	0/15:25:35	1
152779	164366								
27	0420+417	:	0003	B	1	0/15:30:05	-	0/15:31:45	1
164367	166846								
28	3C129	:	0003		1	0/15:55:05	-	0/16:05:15	1
166847	183403								
29	0420+417	:	0003	B	1	0/16:10:05	-	0/16:11:45	1
183404	185861								
30	3C129	:	0003		1	0/16:34:55	-	0/16:45:05	1

```

185862      203522
  31 0420+417      : 0003  B          1  0/16:49:35 - 0/16:51:15      1
203523      206216
  32 0518+165      : 0003  C          1  0/17:06:35 - 0/17:09:45      1
206217      211608
  33 0134+329      : 0003  C          1  0/17:21:45 - 0/17:24:55      1
211609      216975

```

Source summary

Velocity type = ' ' Definition = ' '

ID	Source	Qual	Calcode	RA(1950.0)	Dec(1950.0)	IFlux
1	2345-167	: 0003	A	23:45:27.6823	-16:47:52.600	0.000
0.000	0.000	0.000	20372			
	IF(2)					0.000
0.000	0.000	0.000				
2	A2597	: 0003		23:22:43.7000	-12:23:56.000	0.000
0.000	0.000	0.000	23330			
	IF(2)					0.000
0.000	0.000	0.000				
3	0420+417	: 0003	B	04:20:27.9370	41:43:08.045	0.000
0.000	0.000	0.000	24318			
	IF(2)					0.000
0.000	0.000	0.000				
4	3C129	: 0003		04:45:31.6950	44:55:19.950	0.000
0.000	0.000	0.000	138196			
	IF(2)					0.000
0.000	0.000	0.000				
5	0518+165	: 0003	C	05:18:16.5320	16:35:26.900	0.000
0.000	0.000	0.000	5392			
	IF(2)					0.000
0.000	0.000	0.000				
6	0134+329	: 0003	C	01:34:49.8320	32:54:20.520	0.000
0.000	0.000	0.000	5367			
	IF(2)					0.000
0.000	0.000	0.000				

ID	Source	Freq(GHz)	Velocity(Km/s)	Rest freq (GHz)
1	All Sources	4.8851	0.0000	0.0000
	IF(2)	4.5851	0.0000	0.0000

Frequency Table summary

FQID	IF#	Freq(GHz)	BW(kHz)	Ch.Sep(kHz)	Sideband
1	1	4.88510000	50000.0039	50000.0039	1
	2	4.58510000	50000.0039	50000.0039	1

AIPS 1: Resumes

Where are the antennas located?

go prtan

Location Of VLA Antennas

```

N36 (26)
N32 ( 1)
N28 (19)
N24 (11)
N20 (15)
N16 (25)
N12 (13)
N8  (27)
N4  (14)
      (12) W4      E4 (22)
    ( 8) W8      E8 ( 4)
  ( 3) W12      E12 (16)
(28) W16      E16 ( 7)
( 2) W20      E20 (17)
(21) W24      E24 (24)
(10) W28      E28 ( 5)
(18) W32      E32 (23)
(20) W36      E36 ( 6)

VLA:_OUT ( 9)
VPT:_OUT (29)

```

Flag some bad data. Just run the commands.

```


task 'uvflg'
default
dohist 1
getn 4
antenna 1,0
basel 0
timer 0 13 45 20 0 15 0 0
stokes ' '
opcode 'flag'
reason 'bad ant'
outfgver 1
go
antenna 14,0
timer 0 16 50 50 0 16 51 0
go
timer 0

```


Investigate the data

Plots


```
task 'uvplt'  
source '0518+165', ' '  
calcode ' '  
stokes 'half'  
timer 0  
uvrange 0  
bif 0  
eif 0  
docalib 0  
gainuse 1  
bparm 0 1  
do3col 1  
dotv 1  
tvinit  
go
```




```
source '0134+329', ' '
tvinit
go
```




source '0420+417', ' '
tvinit
go




```
source '3C129', ' '
tvinit
go
```



```
bparm 6 7  
source '0518+165', ' '  
tvinit  
go
```



```
source '0134+329', ' '
tvinit
go
```



source '0420+417', ' '
tvinit
go



```
source '3C129', ' '  
tvinit  
go
```



```
bparm 11,15,0  
sources '0518+165', '0134+329', '0420+417', '3C129',  
xinc=10  
go
```



bparm 11,16,0

go



```
xinc=1
bparm 0
==== Raw visibilities ==== task 'listr'
optype 'list'
antenna 22,0
basel 0
sources ' '
calcode '*'
bif 0
eif 0
docalib 0 ===== Start the calibration ===== Set the flux values of the
known calibrators ==== task 'setjy'
default
getn 4
source '0518+165',' '
```

```

bif 0
eif 0
optype 'calc'
aparm(2) 2
go
<file> vlb054> SETJY1: Task SETJY (release of 31DEC08) begins vlb054> SETJY1:
WARNING: OPCODE=CALC AND FREQID = -1 vlb054> SETJY1: FREQID WILL BE RESET TO
1, CHECK YOUR RESULTS CAREFULLY vlb054> SETJY1: A source model for this
calibrator may be available vlb054> SETJY1: Use the verb CALDIR to see if
there is one vlb054> SETJY1: A source model for this calibrator may be
available vlb054> SETJY1: Use the verb CALDIR to see if there is one vlb054>
SETJY1: / Flux calculated using known spectrum vlb054> SETJY1: BIF = 1 EIF =
2 /Range of IFs vlb054> SETJY1: '0518+165 ' IF = 1 FLUX = 3.7742 (Jy calcd)
vlb054> SETJY1: '0518+165 ' IF = 2 FLUX = 3.9464 (Jy calcd) vlb054> SETJY1: /
Using (1995.2) VLA or Reynolds (1934-638) coefficients vlb054> SETJY1:
Appears to have ended successfully vlb054> SETJY1: vlb054 31DEC08 TST: Cpu=
0.0 Real= 0 </file> bif 1
eif 1
optype ' '
zerosp 3.7742, 0.380, -0.153, 0.0
go
bif 2
eif 2
zerosp 3.9464, 0.397, -0.161, 0.0
go
bif 0
eif 0
zerosp 0
optype 'calc'
source = '0134+329', ' '
go <file> vlb054> SETJY1: Task SETJY (release of 31DEC08) begins vlb054>
SETJY1: WARNING: OPCODE=CALC AND FREQID = -1 vlb054> SETJY1: FREQID WILL BE
RESET TO 1, CHECK YOUR RESULTS CAREFULLY vlb054> SETJY1: A source model for
this calibrator may be available vlb054> SETJY1: Use the verb CALDIR to see
if there is one vlb054> SETJY1: A source model for this calibrator may be
available vlb054> SETJY1: Use the verb CALDIR to see if there is one vlb054>
SETJY1: / Flux calculated using known spectrum vlb054> SETJY1: BIF = 1 EIF =
2 /Range of IFs vlb054> SETJY1: '0134+329 ' IF = 1 FLUX = 5.4891 (Jy calcd)
vlb054> SETJY1: '0134+329 ' IF = 2 FLUX = 5.8249 (Jy calcd) vlb054> SETJY1: /
Using (1995.2) VLA or Reynolds (1934-638) coefficients vlb054> SETJY1:
Appears to have ended successfully vlb054> SETJY1: vlb054 31DEC08 TST: Cpu=
0.0 Real= 0 </file> ==== Get images (and thus clean components) for the
calibrators ==== task 'calrd'
object '3c138'
band 'c'
go
object '3c48'
band 'c'
go
pcat
<file> AIPS 1: Catalog on disk 1 AIPS 1: Cat Usid Mapname Class Seq Pt Last

```

```
access Stat AIPS 1: 1 101 19940725 .C BAND. 1 UV 13-NOV-2008 15:24:44 AIPS 1:
2 101 19940725 .X BAND. 1 UV 13-NOV-2008 15:23:05 AIPS 1: 3 101 19940725 .X
BAND. 2 UV 13-NOV-2008 16:01:14 AIPS 1: 4 101 19940725 .C BAND. 2 UV 13-
NOV-2008 16:06:34 AIPS 1: 5 101 19940725 .U BAND. 1 UV 13-NOV-2008 15:23:05
AIPS 1: 6 101 3C138_C .MODEL . 1 MA 13-NOV-2008 16:09:02 AIPS 1: 7 101 3C48_C
.MODEL . 1 MA 13-NOV-2008 16:09:22 </file> ==== Convert them to the
coordinate system used for the observations ==== task 'eposw'
getn 6
eposw
getn 7
eposw
==== Do the actual calibration. Start with 3C138 ==== task 'calib'
default
getn 4
calsour '0518+165',''
uvrange 0
antenna 0
refant 22
minamper 10
minphser 10
weightit 1
get2n 6
ncomp 0
solmode 'A&P'
aparm(6) 2
solint 2
solsub 2
cparm(3) 10
cparm(4) 10
go
clrmsg
==== Calibrate 3C48 ==== calsour '0134+329',''
get2n 7
go
clrmsg
==== Calibrate the phase calibrator ==== clr2n
calsour '0420+417',''
solint 0
uvrange 20 0
go
clrmsg
==== Check the results ==== task 'snplt'
antenna 0
stokes ''
inext 'sn'
inver 1
sources ''
timer 0
optype 'amp'
opcode 'alsi'
```

```
do3col 1
dotv 1
nplots 9
tvinit
go
optype 'phas'
go
inver 2
optype 'amp'
go
optype 'phas'
go
inver 3
optype 'amp'
go
optype 'phas'
go
==== Apply the calibration to the phase calibrator ==== task 'getjy'
sources '0420+417',''
calsour '0518+165','0134+329',''
calcode ''
bif 0
eif 0
antenna 0
timer 0
snver 0
go
<file> vlb054> GETJY1: Task GETJY (release of 31DEC08) begins vlb054> GETJY1:
Source:Qual CALCODE IF Flux (Jy) vlb054> GETJY1: 0420+417 : 3 B 1 1.46472 +/-
0.00304 vlb054> GETJY1: 2 1.46512 +/- 0.00341 vlb054> GETJY1: Appears to have
ended successfully vlb054> GETJY1: vlb054 31DEC08 TST: Cpu= 0.0 Real= 0
</file> ==== Redo the phase calibrator calibration ==== Now that the flux
density of the phase calibrator has been found, redo its calibration (just to
make sure there are no remnants of some subtle assumptions about its flux
density left in AIPS). inext 'sn'
inver 3
extdest
inver 0
tget calib
go
clrmsg
===== Apply the calibration to all sources of interest. ===== task 'clcal'
sources '0518+165','0134+329','0420+417','3C129',''
calsour '0518+165','0134+329','0420+417',''
opcode 'cali'
gainver 1
gainuse 2
refant 22
interp '2pt'
doblack 1
go
```

```
===== Have a look at the calibration ===== Plots ===== task 'uvplt'
docalib 1
gainuse 2
source '0420+417', ''
stokes 'half'
aparm 0
bparm 0 1
doweight 1
uvrange 0
tvinit
go
===== Start the polarization calibration ===== Check the parallactic
angle change ===== task 'litr'
sources '0518+165','0134+329','0420+417', ''
inext 'cl'
inver 2
optype 'gain'
dparm 9,0
go
===== Make a backup of calibration values, in case we mess up ===== task 'tasav'
clro
go
===== Now do the polarization calibration using the phase calibrator ===== task
'pcal'
calsour '0420+417', ''
timer 0
antenna 0
uvrange 20,0
bif 0
eif 0
docalib 1
gainuse 2
clr2n
pmodel 0
solint 3
soltype 'appr'
prtlev 1
refant 22
bparm 0
cparm 0
go
clrmsg
<file> vlb054> PCAL 1: Calibration source 1 vlb054> PCAL 1: Q+iU=( -0.01035,
0.03766) +/- ( 0.000106, 0.000106) Jy vlb054> PCAL 1: Pol. inten. = 0.03905
+/- 0.000150 Jy, angle = 52.68 +/- vlb054> 0.078 deg vlb054> PCAL 1: 0420+417
I,Q,U,V = 1.4647 -0.01035 0.03766 0.00000 J vlb054> y vlb054> PCAL 1:
Calibration source 1 vlb054> PCAL 1: Q+iU=( -0.03423, 0.00815) +/- (
0.000114, 0.000114) Jy vlb054> PCAL 1: Pol. inten. = 0.03519 +/- 0.000161 Jy,
angle = 83.31 +/- vlb054> 0.093 deg vlb054> PCAL 1: 0420+417 I,Q,U,V = 1.4651
-0.03423 0.00815 0.00000 J vlb054> y </file> ===== Using the calibration,
```

```

check the difference between polarizations on a polarized calibrator ====
task 'rldif'
source '0518+165', ''
timer 0
antenna 0
uvrange 0,45
docalib 1
gainuse 2
dopol true
go
<file> Ampscalar average of matrix = -30.19( 0.081) sigma = 1.160 Ampscalar
average of matrix = 33.93( 0.097) sigma = 1.389 </file> outputs<file> AIPS 1:
RLDIF: Task to return Right - Left phase difference AIPS 1: Adverbs Values
Comments AIPS 1: ----- AIPS 1: CLCORPRM -30.1863 33.9257 R-L
phase difference returned AIPS 1: *rest 0 </file> ==== Another save, just in
case ==== task 'tasav'
clro
go
==== What is the angle supposed to be for this calibrator? ==== Polarization
data for C band from http://www.vla.nrao.edu/astro/calib/polar/1999/ Correct
number is -21.71 ==== Correct the measured values ==== for i=1 to 2;clcorp(i) =
-21.71 - clcorp(i);end ==== Apply them ==== task 'clcor'
source ''
antenna 0
timer 0
bif 0
eif 0
gainver 2
gainuse 0
opcode 'polr'
stokes 'I'
go
==== Check that the angles match what we expect ==== task 'rldif'
source '0518+165', ''
timer 0
antenna 0
uvrange 0,45
docalib 1
gainuse 3
dopol true
go
==== Look at what AIPS gave back ==== outputs<file> AIPS 1: RLDIF: Task to
return Right - Left phase difference AIPS 1: Adverbs Values Comments AIPS 1:
----- AIPS 1: CLCORPRM -21.71 -21.71 R-L phase difference
returned AIPS 1: *rest 0 </file> ##### ===== Now start with the
smaller array data. Load it in ===== task 'fillm'
default
nfiles 2
prtlev 0
datain 'PWD:AT166_
doconcat true

```

```
clron
doweight 10
ncount 1
cparm(4)=28
cparm(8)=10./60
go
==== Check where it went ==== pcat<file> AIPS 1: Catalog on disk 1 AIPS 1:
Cat Usid Mapname Class Seq Pt Last access Stat AIPS 1: 1 101 19940725 .C
BAND. 1 UV 13-NOV-2008 17:24:12 AIPS 1: 2 101 19940725 .X BAND. 1 UV 13-
NOV-2008 17:24:13 AIPS 1: 3 101 19940725 .X BAND. 2 UV 13-NOV-2008 17:24:13
AIPS 1: 4 101 19940725 .C BAND. 2 UV 13-NOV-2008 17:24:13 AIPS 1: 5 101
19940725 .U BAND. 1 UV 13-NOV-2008 17:24:13 AIPS 1: 6 101 3C138_C .MODEL . 1
MA 13-NOV-2008 16:16:53 AIPS 1: 7 101 3C48_C .MODEL . 1 MA 13-NOV-2008
16:19:09 AIPS 1: 8 101 19940725 .TASAV . 1 UV 13-NOV-2008 17:24:13 AIPS 1: 9
101 19940725 .TASAV . 2 UV 13-NOV-2008 17:24:13 AIPS 1: 10 101 19941103 .C
BAND. 1 UV 13-NOV-2008 17:24:36 AIPS 1: 11 101 19941103 .X BAND. 1 UV 13-
NOV-2008 17:24:36 AIPS 1: 12 101 19941103 .X BAND. 2 UV 13-NOV-2008 17:24:36
AIPS 1: 13 101 19941103 .C BAND. 2 UV 13-NOV-2008 17:24:36 </file> ==== Makre
sure we have the right one ==== getn 13
imhe
==== Get the scan information ==== task 'listr'
default
getn 13
optype 'scan'
doweight 1
go
<file> vlb054 LISTR(31DEC08) 101 13-NOV-2008 17:25:15 Page 1 File = 19941103
.C BAND. 2 Vol = 1 Userid = 101 Freq = 4.885100000 GHz Ncor = 4 No. vis =
52167 Scan summary listing Scan Source Qual Calcode Sub Timerange FrqID START
VIS END VIS 1 0134+329 : 0003 C 1 0/04:05:15 - 0/04:07:25 1 1 36 2 0420+417 :
0003 B 1 0/07:33:35 - 0/07:35:15 1 37 3169 3 0518+165 : 0003 C 1 0/07:42:35 -
0/07:45:45 1 3170 9457 4 3C129 : 0003 1 0/08:18:05 - 0/08:23:25 1 9458 20308
5 0420+417 : 0003 B 1 0/08:27:35 - 0/08:29:15 1 20309 22845 6 0420+417 : 0003
B 1 0/08:49:25 - 0/08:51:05 1 22846 25972 7 3C129 : 0003 1 0/09:07:05 -
0/09:12:25 1 25973 35132 8 0420+417 : 0003 B 1 0/09:17:05 - 0/09:18:45 1
35133 38213 9 3C129 : 0003 1 0/09:40:25 - 0/09:45:05 1 38214 47664 10
0420+417 : 0003 B 1 0/09:49:35 - 0/09:51:55 1 47665 52167 Source summary
Velocity type = ' ' Definition = ' ' ID Source Qual Calcode RA(1950.0)
Dec(1950.0) IFlux QFlux UFlux VFlux No. vis 1 0134+329 : 0003 C 01:34:49.8320
32:54:20.520 0.000 0.000 0.000 0.000 36 IF( 2) 0.000 0.000 0.000 0.000 2
0420+417 : 0003 B 04:20:27.9370 41:43:08.045 0.000 0.000 0.000 0.000 16381
IF( 2) 0.000 0.000 0.000 0.000 3 0518+165 : 0003 C 05:18:16.5320 16:35:26.900
0.000 0.000 0.000 0.000 6288 IF( 2) 0.000 0.000 0.000 0.000 4 3C129 : 0003
04:45:31.6950 44:55:19.950 0.000 0.000 0.000 0.000 29462 IF( 2) 0.000 0.000
0.000 0.000 ID Source Freq(GHz) Velocity(Km/s) Rest freq (GHz) 1 All Sources
4.8851 0.0000 0.0000 IF( 2) 4.5851 0.0000 0.0000 Frequency Table summary FQID
IF# Freq(GHz) BW(kHz) Ch.Sep(kHz) Sideband 1 1 4.88510000 50000.0039
50000.0039 1 2 4.58510000 50000.0039 50000.0039 1 AIPS 1: Resumes </file>
==== Get antenna positions ==== go prtan<file> Location Of VLA Antennas N18
(26) N16 ( 1) N14 ( 9) N12 (11) N10 (15) N8 (27) N6 (25) N4 (14) N2 (13) ( 3)
```

```
W2 E2 ( 4) (12) W4 E4 (22) (21) W6 E6 (16) ( 8) W8 E8 (17) ( 2) W10 E10 (24)
(10) W12 E12 ( 5) (18) W14 E14 (23) (28) W16 E16 ( 7) (20) W18 E18 ( 6)
VLA:_OUT (19) VPT:_OUT (29) AIPS 1: Resumes </file> ===== Flag some bad data.
Just run the commands and think about this later. ===== task 'uvflg'
default
dohist 1
getn 13
antenna 0
basel 0
timer 0 0 0 0 0 4 8 0
stokes ''
opcode 'flag'
reason 'bad scan'
outfgver 1
go
timer 0 8 18 0 0 8 30 0
go
antenna 0
timer 0 9 10 0 0 9 15 0
go
reason 'bad ant
antenna 4,0
timer 0
===== Check out some properties of the raw data ===== ===== Plots ===== task
'uvplt'
source '0518+165',''
calcode ''
stokes 'half'
timer 0
uvrange 0
bif 0
eif 0
docalib 0
gainuse 1
bparm 0 1
do3col 1
dotv 1
tvinit
go
source '0420+417',''
tvinit
go
source '3C129',''
tvinit
go
bparm 6 7
source '0518+165',''
tvinit
go
source '0420+417',''
tvinit
```

```
go
source '3C129', ''
tvinit
go
bparm 0
==== Raw numbers ==== task 'lstr'
optype 'list'
antenna 4,0
basel 0
sources ''
calcode '*'
bif 0
eif 0
docalib 0
stokes ''
dparm 0
go
===== Begin the calibration ===== Apply the flux densities for the known
calibrators ==== task 'setjy'
default
getn 13
source '0518+165', ''
bif 0
eif 0
optype 'calc'
aparm(2) 2
go
<file> vlb054> SETJY1: BIF = 1 EIF = 2 /Range of IFs vlb054> SETJY1:
'0518+165 ' IF = 1 FLUX = 3.7742 (Jy calcd) vlb054> SETJY1: '0518+165 ' IF =
2 FLUX = 3.9464 (Jy calcd) vlb054> SETJY1: / Using (1995.2) VLA or Reynolds
(1934-638) coefficients </file> bif 1
eif 1
optype ''
zerosp 3.7742, 0.380, -0.153, 0.0
go
bif 2
eif 2
zerosp 3.9464, 0.397, -0.161, 0.0
go
bif 0
eif 0
zerosp 0
optype 'calc'
==== Run the calibration for 3C138 ==== task 'calib'
default
getn 13
calsour '0518+165', ''
uvrange 0
antenna 0
refant 4
```

```
minamper 10
minphser 10
weightit 1
get2n 6
ncomp 0
solmode 'A&P'
aparm(6) 2
solint 2
solsub 2
cparm(3) 10
cparm(4) 10
go
clrmsg
==== Calibrate the phase calibrator ==== clr2n
calsour '0420+417',' '
solint 0
uvrange 0
go
clrmsg
==== Check the results ==== task 'snplt'
antenna 0
stokes ' '
inext 'sn'
inver 1
sources ' '
timer 0
optype 'amp'
opcode 'alsi'
do3col 1
dotv 1
nplots 9
tvinit
go
optype 'phas'
go
inver 2
optype 'amp'
go
optype 'phas'
go
==== Use the amplitude calibrator to get the phase calibrator flux density
==== task 'getjy'
sources '0420+417',' '
calsour '0518+165',' '
calcode ' '
bif 0
eif 0
antenna 0
timer 0
snver 0
go
```

```
<file> vlb054> GETJY1: Task GETJY (release of 31DEC08) begins
vlb054> GETJY1: Source:Qual CALCODE IF Flux (Jy) vlb054> GETJY1: 0420+417 : 3
B 1 1.33893 +/- 0.00641 vlb054> GETJY1: 2 1.34714 +/- 0.00525 vlb054> GETJY1:
Appears to have ended successfully vlb054> GETJY1: vlb054 31DEC08 TST: Cpu=
0.0 Real= 0 </file> ===== Redo the phase calibrator calibration ===== Now that
we know the flux density of the phase calibrator, run through its calibration
again, just to be sure AIPS doesn't have some information left around from
calibrating before with an unknown flux density. inext'sn'
inver 2
extdest
inver 0
tget calib
go
clrmsg
===== Apply the calibration to all sources ===== task 'clcal'
sources '0518+165','0420+417','3C129',' '
calsour '0518+165','0420+417',' '
opcode 'cali'
gainver 1
gainuse 2
refant 4
interp '2pt'
doblank 1
go
===== Check the results ===== ===== Plots ===== task 'uvplt'
docalib 1
gainuse 2
source '0420+417',' '
stokes 'half'
aparm 0
bparm 0 1
doweight 1
uvrange 0
tvinit
go
===== Now start the polarization calibration ===== ===== Check the parallactic
angles ===== task 'litr'
sources '0518+165','0420+417',' '
inext 'cl'
inver 2
optype 'gain'
dparm 9,0
go
===== Make a backup of calibration information ===== task 'tasav'
clro
go
===== Run the polarization calibration on the phase calibrator ===== task 'pcal'
calsour '0420+417',' '
timer 0
antenna 0
```

```

uvrange 0
bif 0
eif 0
docalib 1
gainuse 2
clr2n
pmodel 0
solint 3
soltype 'appr'
prtlev 1
refant 4
bparm 0
cparm 0
go
clrmsg
<file> vlb054> PCAL 1: Calibration source 1 vlb054> PCAL 1: Q+iU=( 0.00444,
-0.04706) +/- ( 0.000273, 0.000273) Jy vlb054> PCAL 1: Pol. inten. = 0.04727
+/- 0.000386 Jy, angle = -42.30 +/- vlb054> 0.165 deg vlb054> PCAL 1:
0420+417 I,Q,U,V = 1.3389 0.00444 -0.04706 0.00000 J vlb054> y vlb054> PCAL
1: Calibration source 1 vlb054> PCAL 1: Q+iU=( 0.02002, 0.03901) +/- (
0.000277, 0.000277) Jy vlb054> PCAL 1: Pol. inten. = 0.04385 +/- 0.000392 Jy,
angle = 31.42 +/- vlb054> 0.181 deg vlb054> PCAL 1: 0420+417 I,Q,U,V = 1.3471
0.02002 0.03901 0.00000 J vlb054> y </file> ==== Check the phase difference
between polarizations on a polarization calibrator ==== task 'rldif'
source '0518+165',' '
timer 0
antenna 0
uvrange 0,45
docalib 1
gainuse 2
dopol true
go
outputs<file> AIPS 1: RLDIF: Task to return Right - Left phase difference
AIPS 1: Adverbs Values Comments AIPS 1: ----- AIPS 1:
CLCORPRM 132.6554 -74.984 R-L phase difference returned AIPS 1: *rest 0
</file> ==== Make backups again ==== task 'tasav'
clro
go
==== Find out what the polarization angle on the sky is supposed to be ====
Polarization data for C band from
http://www.vla.nrao.edu/astro/calib/polar/1999/ Correct number is -21.71 ====
Correct the measured values ==== for i=1 to 2;clcorp(i) = -21.71 - clcorp(i);end ==== Apply
the corrections ==== task 'clcor'
source ' '
antenna 0
timer 0
bif 0
eif 0
gainver 2
gainuse 0
opcode 'polr'

```

```
stokes 'l'
go
==== Check that the angles are now correct ==== task 'rldif'
source '0518+165', ''
timer 0
antenna 0
uvrange 0,45
docalib 1
gainuse 3
dopol true
go
outputs<file> AIPS 1: RLDIF: Task to return Right - Left phase difference
AIPS 1: Adverbs Values Comments AIPS 1: _____- AIPS 1:
CLCORPRM -21.71 -21.71 R-L phase difference returned AIPS 1: *rest 0 </file>
##### ===== Work on just the target data now =====
Run SPLIT on the two datasets ==== task 'split'
getn 4
source '3C129', ''
timer 0
bif 0
eif 0
docalib 1
gainuse 3
dopol true
stokes ''
douvcomp false
aparm 0
go
getn 13
go
clrmsg
==== Check for where the new datafiles are stored ==== pcat<file> AIPS 1:
Catalog on disk 1 AIPS 1: Cat Usid Mapname Class Seq Pt Last access Stat AIPS
1: 1 101 19940725 .C BAND. 1 UV 13-NOV-2008 17:24:12 AIPS 1: 2 101 19940725
.X BAND. 1 UV 13-NOV-2008 17:24:13 AIPS 1: 3 101 19940725 .X BAND. 2 UV 13-
NOV-2008 17:24:13 AIPS 1: 4 101 19940725 .C BAND. 2 UV 13-NOV-2008 18:24:07
AIPS 1: 5 101 19940725 .U BAND. 1 UV 13-NOV-2008 17:24:13 AIPS 1: 6 101
3C138_C .MODEL . 1 MA 13-NOV-2008 17:51:33 AIPS 1: 7 101 3C48_C .MODEL . 1 MA
13-NOV-2008 16:19:09 AIPS 1: 8 101 19940725 .TASAV . 1 UV 13-NOV-2008
17:24:13 AIPS 1: 9 101 19940725 .TASAV . 2 UV 13-NOV-2008 17:24:13 AIPS 1: 10
101 19941103 .C BAND. 1 UV 13-NOV-2008 17:24:36 AIPS 1: 11 101 19941103 .X
BAND. 1 UV 13-NOV-2008 17:24:36 AIPS 1: 12 101 19941103 .X BAND. 2 UV 13-
NOV-2008 17:24:36 AIPS 1: 13 101 19941103 .C BAND. 2 UV 13-NOV-2008 18:24:18
AIPS 1: 14 101 19941103 .TASAV . 1 UV 13-NOV-2008 17:54:20 AIPS 1: 15 101
19941103 .TASAV . 2 UV 13-NOV-2008 17:56:30 AIPS 1: 16 101 3C129 .SPLIT . 1
UV 13-NOV-2008 18:24:07 AIPS 1: 17 101 3C129 .SPLIT . 2 UV 13-NOV-2008
18:24:18 </file> ===== Combine the two different observations into one big one
===== task 'dbcon'
getn 16
get2n 17
```

```

go
pcat
<file> AIPS 1: 18 101 3C129 .DBCON . 1 UV 13-NOV-2008 18:28:31 </file> =====
Imaging ===== IMAGR is the standard imaging tool for AIPS ===== This will
start up an imaging/cleaning session. Draw boxes and clean the source
structure. Do this for all 4 Stokes parameters. (Unfortunately, IMAGR
requires separate runs for the different Stokes parameters.) task 'imagr'
getn 18
stokes 'i'
dopol 0
cellsize 0.25,0.25
imsize 2048,2048
clr2n
do3dimag 1
docalib 0
uvrange 0
niter 20000
overlap 1
go
clrmsg
stokes 'q'
go
clrmsg
stokes 'u'
go
clrmsg
stokes 'v'
go
clrmsg
===== Check where the files went ===== pcat<file> AIPS 1: 29 101 3C129 .IBM001.
3 MA 13-NOV-2008 19:46:00 AIPS 1: 30 101 3C129 .ICL001. 5 MA 13-NOV-2008
19:46:00 AIPS 1: 31 101 3C129 .QBM001. 1 MA 13-NOV-2008 19:47:30 AIPS 1: 32
101 3C129 .QCL001. 1 MA 13-NOV-2008 19:47:30 AIPS 1: 33 101 3C129 .UBM001. 1
MA 13-NOV-2008 19:49:06 AIPS 1: 34 101 3C129 .UCL001. 1 MA 13-NOV-2008
19:49:06 AIPS 1: 35 101 3C129 .VBM001. 1 MA 13-NOV-2008 19:49:39 AIPS 1: 36
101 3C129 .VCL001. 1 MA 13-NOV-2008 19:49:39 </file> ===== Polarization
images ===== Combine Q and U to get linear polarization ===== task 'comb'
opcode 'polc'
getn 32
get2n 34
aparm 0
bparm(1) 28E-6
bparm(2) 28E-6
go
===== Get the linear polarization angle ===== opcode 'pola'
go
===== Check where file went ===== pcat<file> AIPS 1: 28 101 3C129 .PPOLC . 1 MA
13-NOV-2008 19:59:45 AIPS 1: 37 101 3C129 .PANG . 1 MA 13-NOV-2008 20:00:28
</file> ===== Look at the images ===== Linear Polarization === getn 28
tvinit
tvlod

```


```
tvfiddle
tvstat
<file> AIPS 1: Mean= 1.3417E-05 rms= 2.8180E-05 JY/BEAM over 178694. pixels
</file> === Polarization Angle === getn 37
tvinit
tvlod
tvfiddle
=== I === getn 30
tvinit
tvlod
tvfiddle
tvstat
==== Clip the data so we only see information where there is good S/N ====
task 'comb'
getn 37
get2n 28
opcode 'clip'
aparm(1) 100E-6
aparm(10) 100E-6
bparm 0
outclass 'PANGC'
go
task 'comb'
getn 28
get2n 28
opcode 'clip'
aparm(1) 100E-6
aparm(10) 100E-6
bparm 0
outclass 'POLCC'
go
==== Check where these files went ==== pcat<file> AIPS 1: 38 101 3C129 .PANGC
. 1 MA 13-NOV-2008 20:31:21 AIPS 1: 39 101 3C129 .POLCC . 1 MA 13-NOV-2008
20:31:21 </file> === Look at the polarization angle === getn 38
tvinit
tvlod
tvfiddle
===== Plotting your data ===== === Plot I contours and P greyscale === task
'kntr'
getn 30
get2n 28
docont 1
dogrey 2
dovect 0
pixrange 0 1E-3
clev 28E-6
levs=-16,-8,8,16,32,64,128,256,512,1024
dowedge true
cbplot 1
dotv 1
```


```

blc 950 950
trc 1500 1500
go
==== Plot I contours and colors for polarization angle ==== task 'pcntr'
getn 30
get2n 32
get3n 34
docont 1
dogrey 2
dovect 1
pixrange 0 1E-3
clev 28E-6
levs=-16,-8,8,16,32,64,128,256,512,1024
factor 5
pol3col 1
pcut 80E-6
icut 0
dowedge 0
cbplot 1
dotv 1
blc 950 950
trc 1500 1500
go
"

```

Final Images





From:
<https://www.astron.nl/lofarwiki/> - **LOFAR Wiki**

Permanent link:
https://www.astron.nl/lofarwiki/doku.php?id=public:meetings:glowbi2008:tutorial_wednesday&rev=1289915265

Last update: **2010-11-16 13:47**

