

The Lofar Login Environment (LLE)

This page describes the standard login environment for new users on the LOFAR cluster nodes. Existing accounts can be easily modified; see below for a manual to do this.

General

The Lofar Login Environment sets a few things for your account, and allows you to easily initialise often used packages and tools at login time. To this purpose we provide a few simple standardized login-scripts.

Use (t)csH or bash!

To be able to use the LLE environment you must either use a (t)csH or bash login shell. We do not support scripts for any other shells.

What to do when you get an account

(t)csH

If you have chosen for the (t)csH shell, you do as follows:

- Log in and go to your (empty) \$HOME directory
- `> ln -s /opt/login/cshrc .cshrc` (Note: on lioffen you should refer to /app/login/cshrc !)
- Log out and login again; you should see a welcome message.

bash

If you have chosen for the bash shell, you do as follows:

- Log in and go to your (empty) \$HOME directory
- `> ln -s /opt/login/bashrc .bashrc` (Note: on lioffen you should refer to /app/login/cshrc !)
- Log out and login again; you should see a welcome message.

How to transform existing accounts?

To use the LLE in an existing account, rename your existing .cshrc or .bashrc in your \$HOME and follow the instructions given above.

Make sure that possibly existing files `$HOME/.login`, `$HOME/.setenv` and `$HOME/.alias` that you still want to use at login time are renamed to `$HOME/.mylogin`, `$HOME/.mysetenv`, `$HOME/.myalias`.

The LLE scripts

Some of the details are presented here.

What is `$APS_LOCAL` ?

The root directory for the scripts is provided in environment variable `$APS_LOCAL`, whose value is set in the `.cshrc` and `.bashrc` scripts. The actual value is:

- New CEP processing cluster: `/opt`

Login scripts

In directory `${APS_LOCAL}/login` are a number of default login scripts. The scripts ending with `.bash` are for the bash shell, the others for the (t) csh shell:

- `cshrc` → sets `APS_LOCAL` and calls the other scripts
- `login` → Displays welcome message; no settings
- `setenv` → adds some items to `$PATH`, sets your prompt, etc.
- `alias` → some default aliases to make life easy
- `setpackages` → script to define packages to initialize at login-time

Users should **NEVER** modify these default scripts at this location!

Personal command aliases: `.myalias`

Personal command aliases can be added to a file `$HOME/.myalias`. When this file exists, the `.cshrc` or `.bashrc` script will read this file after reading the default `${APS_LOCAL}/login/alias(.bash)`.

Personal environment settings: `.mysetenv`

Personal extensions to `$PATH`, personal environment variables, personal prompt setting, or overloaded existing environment variables should be done in a file `$HOME/.mysetenv`. If this file exists, the `cshrc` or `bashrc` script will read this file.

Package initialisation

Many packages are available from the distribution of the Operating System. Several packages are added later on. To activate these, environment variables like `PATH`, `LD_LIBRARY_PATH`, `PYTHONPATH` must be set correctly. To help you, we have created package initialization scripts that you can call to set these parameters correctly.

A list of packages available on the offline processing cluster can be found [on this page](#).

On the commandline

To initialize a package, you must know the name of the initialization file. These can be found in directory `${APS_LOCAL}/scripts`. An example of such a filename is `doLofIm`. This file initializes the LofIm package. You can execute it by typing:

```
> use LofIm
```

It can be quite cumbersome to have to initialize all your required packages each time in each shell window you open. Therefore we have made available an option to initialize a list of packages at login time.

For packages that are build daily and that have a version available for all days of the week (LUS, LofIm), you can also specify a day of week on the commandline:

```
> use LofIm Tue
```

.mypackages

To initialize the use of installed packages at login time you must create a file `$HOME/.mypackages`. If this file exists, it is used by the LLE script `setpackages`.

In the directory `${APS_LOCAL}/scripts` you will find available package initialization scripts, named like `do<package>` (e.g., `doCasa`, `doLofIm`). Whenever you add a package to the file `$HOME/.mypackages`, the associated script in `$APS_LOCAL/scripts` will be source'd.

The file `$HOME/.mypackages` can look like this example:

```
Casa  
LofIm
```

Provide only one package per line. Also note the use of `<package>` and `do<package>`; both are accepted. If an initialization script for a package cannot be found, it will be reported to the user.

For packages that are build daily and that have a version available for all days of the week (LUS, LofIm), you can also specify a day of week in the `.mypackages` file:

```
LofIm Tue
```

How to add a personal package

Apart from the systemwide do<package> files provided in directory \$APS_LOCAL/scripts, users can add their personal do<package> files in their \$HOME and have these run at login time. If there is a do<package> file both in \$HOME and in \$APS_LOCAL/scripts, the version in \$HOME has preference and will be executed. This can be used to test a different version of a package, etc... To add a new, personal, package, act as follows:

- Install the package
- Create a \$HOME/do<package> initialization script (e.g., adding the installation directory to your \$PATH)
- Add <package> to the list of packages in file \$HOME/.mypackages

Starting X environment

To start up an X environment you have to make sure that

- The files \$HOME/.xinitrc and \$HOME/.xsession are removed

Determine the colordepth that you need (8, 16, 24 bit display) and type:

```
startx -- :1 -depth <colordepth>
```

This should start your X environment at the proper colordepth. This will create an additional X Server next to the one you are already running. You can access this with Alt-F8 or Cntl-Alt-F8. The F7 variant will give you back your normal X.

Due to the large latency and large bandwidth required for X-traffic, it is advisable to connect to the CEP systems with the NX-client on your system. See [this page for more info](#).

Help!

If you need help, or have questions, or want to give any other comments, contact Arno Schoenmakers or Adriaan Renting.

New do<xxxx>-files can be added at any time if you have a new package that should be available systemwide. Contact Arno Schoenmakers or Adriaan Renting in this case.

From:

<https://www.astron.nl/lofarwiki/> - **LOFAR Wiki**

Permanent link:

<https://www.astron.nl/lofarwiki/doku.php?id=public:lle&rev=1317123490>

Last update: **2011-09-27 11:38**

